

	Type	Hits	Search Text	DBs
1	BRS	1	(bar adj code adj reader) same (portable adj barcode)	USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	4168	235/462.\$7.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	1	235/462.\$7.ccls. and (portable adj barcode adj reader)	USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	10	("4496831"   "4837414"   "4841132"   "4916441"   "4928179"   "4945216"   "5029183"   "5073979"   "5157687"   "5291325").PN.	USPAT
5	BRS	4	5602380.URPN.	USPAT
6	BRS	1	(point-of-sale or pos) and (portable adj barcode adj scanner)	USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	0	(barcode adj scanner) same (identif\$4 adj bar adj code)	USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	5	(bar adj code adj reader) same ((portable adj scanner) or (portable adj barcode adj reader))	USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	774	bluetooth	USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	4	bluetooth and (pos)	USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	3	bluetooth same ((wireless or portable) adj scanner\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	427	bluetooth same (wireless or portable)	USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	4	bluetooth same (wireless or portable) same (point-of-sale)	USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	28	(barcode adj (scanner or reader)) same pair\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	2	((barcode adj (scanner or reader)) same pair\$3) same (wireless or remot\$4 or portable)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
16	BRS	7	((barcode adj (scanner or reader)) same pair\$3) and (wireless or remot\$4 or portable)	USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	389	radio adj module	USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	5	(radio adj module) and POS	USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	5	("4277837"   "5221838"   "6091817"   "6142369"   "6202054").PN.	USPAT
20	BRS	12	master same slave same (data adj communication adj link)	USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	2	bluetooth same (master/slave)	USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	145	bluetooth same (wireless adj communication)	USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	3	bluetooth same (portable adj scanner)	USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	0	(pair adj4 (scanner or (bar adj3 code adj reader))) same (wireless)	USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	0	(pair adj4 (scanner or (bar adj3 code adj reader))) same (POS)	USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	184	pair adj4 (scanner or (bar adj3 code adj reader))	USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	5	(master adj slave) same (communication adj4 address)	USPAT
28	BRS	27	(POS or (point-of-sale)) near ((barcode or bar adj code) adj reader)	USPAT
29	BRS	0	(table\$4 adj4 barcode adj reader) same (portable adj barcode adj reader)	USPAT
30	BRS	1	(barcode adj reader) same (portable adj barcode adj reader)	USPAT
31	BRS	0	(wireless adj4 link) same (portable adj barcode adj reader)	USPAT
32	BRS	0	(wireless adj4 link) same (hand-held adj barcode adj reader)	USPAT

	Type	Hits	Search Text	DBs
33	BRS	790	235/472.\$7.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	192	235/472.\$7.ccls. and (wireless)	USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	3	235/472.\$7.ccls. and (wireless) and (slave)	USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	40	(master adj slave) near10 (communication adj link)	USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	1	(master adj slave) near10 (communication adj link) near20 (network or communicaiton) adj address	USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	0	((identif\$4 adj code) same (network adj address) ) and (bar adj code)	USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	12	(identif\$4 adj code) same (network adj address)	USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	422	(first adj scanner) same (second adj scanner)	USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	0	(first adj scanner) same (second adj scanner) same (wireless)	USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	5	(first adj scanner) same (second adj scanner) same (master or slave)	USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	0	(first adj barcode adj reader) same (second adj barcode adj reader) same (master or slave)	USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	0	(first adj barcode adj reader) same (second adj barcode adj reader)	USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	0	(first adj barcode adj reader) and (second adj barcode adj reader)	USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	418	(bar adj code) same (exterior)	USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	44	(bar adj code) same (exterior near5 hous\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
48	BRS	975	(network adj address) near10 ((identif\$4) or (identif\$4 adj code))	USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	52	((network adj address) near10 ((identif\$4) or (identif\$4 adj code))) and scanner	USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	5	((network adj address) near10 ((identif\$4) or (identif\$4 adj code))) and (barcode adj reader)	USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	16	("4670853"   "4674041"   "4872197"   "4882675"   "4949256"   "5047614"   "5185695"   "5192854"   "5287181"   "5305197"   "5380991"   "5420606"   "5502636"   "5557721"   "5612959"   "5621727").PN.	USPAT
52	BRS	14	bluetooth same (identify\$4 or network adj address)	USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	2	(barcode adj reader) same (identify\$4 adj code or network adj address)	USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	67	("4210802"   "4409470"   "4734566"   "4766300"   "4835615"   "4877949"   "4940974"   "4952966"   "4962432"   "4996413"   "5010580"   "5019699"   "5025319"   "5080456"   "5083150"   "5128769"   "5130520"   "5131053"   "5168149"   "5184005"   "5187356"   "5200597"   "5210398"   "5235167"   "5237365"   "5243666"   "5245445"   "5258604"   "5262871"   "5272538"   "5276315"   "5278397"   "5291009"   "5293238"   "5296690"   "5308960"   "5308966"   "5309243"   "5314631"   "5315095"   "5319181"   "5331143"   "5332892"   "5340973"   "5345266"   "5349172"   "5352884"   "5354977"   "5359185"   "5386271"   "5401949"   "5406063"   "5408084"   "5414251"   "5418357"   "5420635"   "5420943"   "5448293"   "5468947"   "5468950"   "5478997"   "5484994"   "5486688"   "5496992"   "5504316"   "5778314"   "5857156").PN.	USPAT
55	BRS	8	(POS or (point-of-sale)) near10 ((network adj address or identif\$4 adj code))	USPAT

	Type	Hits	Search Text	DBs
56	BRS	0	(barcode adj reader) near10 ((network adj address or identif\$4 adj code))	USPAT
57	BRS	2	(barcode adj reader) same ((network adj address or identif\$4 adj code))	USPAT
58	BRS	0	(POS or (point-of-sale)) near10 (pair adj4 barcode adj reader)	USPAT
59	BRS	0	(POS or (point-of-sale)) and (pair adj4 barcode adj reader)	USPAT
60	BRS	43	(POS or (point-of-sale)) near10 (wireless)	USPAT
61	BRS	33	(POS or (point-of-sale)) and ((first near10 second) adj4 reader)	USPAT
62	BRS	0	(POS or (point-of-sale)) and ((first near10 second) adj4 barcode adj reader)	USPAT
63	BRS	0	(wireless adj data adj communication) same (handheld)	USPAT
64	BRS	354	(wireless adj data adj communication)	USPAT
65	BRS	7	((wireless adj data adj communication) ) and (port\$4) and (identif\$4 adj code)	USPAT
66	BRS	517	(barcode adj reader) with barcode	USPAT
67	BRS	67	("4210802"   "4409470"   "4734566"   "4766300"   "4835615"   "4877949"   "4940974"   "4952966"   "4962432"   "4996413"   "5010580"   "5019699"   "5025319"   "5080456"   "5083150"   "5128769"   "5130520"   "5131053"   "5168149"   "5184005"   "5187356"   "5200597"   "5210398"   "5235167"   "5237365"   "5243666"   "5245445"   "5258604"   "5262871"   "5272538"   "5276315"   "5278397"   "5291009"   "5293238"   "5296690"   "5308960"   "5308966"   "5309243"   "5314631"   "5315095"   "5319181"   "5331143"   "5332892"   "5340973"   "5345266"   "5349172"   "5352884"   "5354977"   "5359185"   "5386271"   "5401949"   "5406063"   "5408084"   "5414251"   "5418357"   "5420635"   "5420943"   "5448293"   "5468947"   "5468950"   "5478997"   "5484994"   "5486688"   "5496992"   "5504316"   "5778314"   "5857156").PN.	USPAT
68	BRS	0	(primary near10 secondary) near5 (barcode adj reader)	USPAT

	Type	Hits	Search Text	DBs
69	BRS	30	(primary near10 secondary) and (barcode adj reader)	USPAT
70	BRS	443	(POS or (point-of-sale)) and (check adj ou	USPAT
71	BRS	2	((POS or (point-of-sale)) and (check adj out)) and (barcode adj readers)	USPAT
72	BRS	14	((POS or (point-of-sale)) and (check adj out)) and (barcode adj reader)	USPAT
73	BRS	8	porta\$4 adj barcode adj reader	USPAT; EPO; JPO; DERWENT; IBM_TDB
74	IS&R	2	("5939695").PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	0	5939695.URPN.	USPAT
76	BRS	10	("3836755"   "4071740"   "4654514"   "4929819"   "5047614"   "5065002"   "5361871"   "5457307"   "5640002"   "5773954").PN.	USPAT
77	BRS	0	5939695.URPN.	USPAT
78	BRS	4	(radio adj module) and (barcode adj reader)	USPAT; EPO; JPO; DERWENT; IBM_TDB
79	BRS	3	(identify\$4 adj barcode) and (wireless)	USPAT; EPO; JPO; DERWENT; IBM_TDB
80	BRS	26	identify\$4 adj barcode	USPAT; EPO; JPO; DERWENT; IBM_TDB
81	BRS	5	(identify\$4 adj barcode) and (network)	USPAT; EPO; JPO; DERWENT; IBM_TDB
82	BRS	180	((ip adj address) or (network adj address) or (data adj communication adj address)) and (barcode or (identif\$4 adj code))	USPAT; EPO; JPO; DERWENT; IBM_TDB
83	BRS	23	((ip adj address) or (network adj address) or (data adj communication adj address)) same (barcode or (identif\$4 adj code))	USPAT; EPO; JPO; DERWENT; IBM_TDB
84	IS&R	2	("3836755").PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	3611	((((ip adj address) or (network adj address) or (data adj communication adj address)) and (barcode or (identif\$4 adj code)))) and (POS) or (point-of-sale)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
86	BRS	3611	((ip adj address) or (network adj address) or (data adj communication adj address)) and (barcode or (identif\$4 adj code)) and (POS) or (point-of-sale)	USPAT; EPO; JPO; DERWENT; IBM_TDB
87	BRS	3608	((ip adj address) or (network adj address) or (data adj communication adj address)) and (barcode or (identif\$4 adj code)) same (POS) or (point-of-sale)	USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	11	((ip adj address) or (network adj address) or (data adj communication adj address)) and (barcode or (identif\$4 adj code))) and ((POS) or (point-of-sale))	USPAT; EPO; JPO; DERWENT; IBM_TDB
89	BRS	0	((ip adj address) or (network adj address) or (data adj communication adj address)) and (barcode or (identif\$4 adj code)) same (porta\$4 adj device)	USPAT; EPO; JPO; DERWENT; IBM_TDB
90	BRS	636	235/383.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
91	BRS	17	((ip adj address) or (network adj address) or (data adj communication adj address)) and (barcode or (identif\$4 adj code)) same (handheld or portable)	USPAT; EPO; JPO; DERWENT; IBM_TDB
92	BRS	43	((ip adj address) or (network adj address) or (data adj communication adj address)) near10 ((barcode) or (bar adj code) or (identif\$4 adj code) or (barcod\$4 adj4 IP adj address))	USPAT; EPO; JPO; DERWENT; IBM_TDB